

# **Plarke** Industries

# CABLE MANAGEMENT & PROTECTION

P: 02 9522 7800 F: 02 9522 7900 E: sales@clarkeind.com.au



#### **Cable Management & Protection**

## **Cable Guards & Accessories**

Additional mechanical protection for conduits & cables. Constructed from 1.2mm Mild Steel, with 6mm holes in sides for mounting, the cable guards are Hot Dip galvanized for durability.

#### **Surface Mount**

CAT No.	DESCRIPTION
AMHS25S	25x25mm x 1.2m
AMHS35S	35x35mm x 1.2m
AMHS45S	45x45mm x 1.2m
AMHS55S	55x55mm x 1.2m
AMHS55S14	55x55mm x 1.4m
AMHS75S12	75x75mm x 1.2m
AMHS75S14	75x75mm x 1.4m
AMHS100S12	100x100mm x 1.2m
AMHS100S14	100x100mm x 1.4m

#### **Pole Mount**

	CAT No.	DESCRIPTION
	AMHS45P	45x45mm x 1.2m
	AMHS55P	55x55mm x 1.2m
	AMHS75P12	75x75mm x 1.2m
	AMHS75P14	75x75mm x 1.4m
1	AMHS100P12	100x100mm x 1.2m
	AMHS100P14	100x100mm x 1.4m

# P: 02 9522 7800 F: 02 9522 7900 E: sales@clarkeind.com.au

E & OE.

Prices & Specifications subject to change without notice.

Issued 01/08/2016



#### **Cable Management & Protection**

## **UGOH** Channels

Hot dip galvanized 'U' section, mechanical protection channels with no side flanges, 3 metres long, to comply with Service and Installation rules of NSW, designed to protect service mains in an underground supply from an overhead distribution system. Saddle packs supplied separately. For normal installations 1 pack is sufficient per channel.

Contraction and and and and	CAT No.	DESCRIPTION
	AMUGOH5530	55mm x 3m U Cable Guard
	AMUGOH7530	75mm x 3m U Cable Guard
Carlow Contraction	AMUGOH10030	100mm x 3m U Cable Guard
	AMUGOH15030	150mm x 3m U Cable Guard

CAT No.	DESCRIPTION
diff -	MALL MARK
AMUGOH55SAD	55mm Cable Guard Saddles (Pack of 3)
AMUGOH75SAD	75mm Cable Guard Saddles (Pack of 3)
AMUGOH100SAD	100mm Cable Guard Saddles (Pack of 3)
AMUGOH150SAD	150mm Cable Guard Saddles (Pack of 3)

# P: 02 9522 7800 F: 02 9522 7900 E: sales@clarkeind.com.au

E & OE.

Prices & Specifications subject to change without notice.

Issued 01/02/2012



# **Cable Management & Protection**

# **Underground Marking Tape**

	CAT No.	LENGTH	DESCRIPTION
WARNING			
	AM2101	100m	Warning Electrical Cable
RIC CABLES			Below (Orange)
and a fill a start			
WARNING WARM	AM2105	500m	Warning Electrical Cable
A Mar - A	AM2105	500m	-
WARNING WARM	AM2105	500m	Electrical Cable
X B = - 2	AM2105	500m	Electrical Cable
X B = - 2	AM2105	500m	Electrical Cable Below (Orange)
NA - A	AM2105	500m	Electrical Cable

# P: 02 9522 7800 F: 02 9522 7900 E: sales@clarkeind.com.au

E & OE. Prices & Specifications subject to change without notice. Issued 01/02/2012